## SEQUENCE LISTING

<110> Sumitomo Chemical Co., Ltd 5 <120> PROCESS FOR PRODUCING OPTICALLY ACTIVE 4-HALO-3-**HYDROXYBUTANOATE** <130> 10 <140> <141> 15 <160> 27 20 <170> Patentin Ver. 2.1 <210> 1 <211> 325 <212> PRT <213> Penicillium citrinum <400> 1 Met Ser Asn Gly Lys Thr Phe Thr Leu Ser Asn Gly Val Lys lie Pro 5 15 25 Gly Val Gly Phe Gly Thr Phe Ala Ser Glu Gly Ser Lys Gly Glu Thr 30 20 Tyr Thr Ala Val Thr Thr Ala Leu Lys Thr Gly Tyr Arg His Leu Asp 30 45 35 40 Cys Ala Trp Tyr Tyr Leu Asn Glu Gly Glu Val Gly Glu Gly lle Arg 50 55 60 35 Asp Phe Leu Lys Gly Asn Pro Ser Val Lys Arg Gly Asp 11e Phe Val 65 70 80 Cys Thr Lys Val Trp Asn His Leu His Arg Tyr Glu Asp Val Leu Trp 90 95 40 85

## Lys Asn Leu Ser Ala 325

5	<21°	0> 2 1> 9: 2> DI 3> Po	NA.	illiu	um ci	itrin	num										
10	<22	<220> <221> GDS <222> (1) (978) <400> 2															
5	atg	tot													att He 15		48
20			-												gag Glu		96
25			_	-			-		-						ttg Leu		144
90															atc   e		192
30															ttc Phe		240
35															ctc Leu 95		288
40							_	-						-	gat Asp		336

	Ser	He	Asp	Asp 100	Ser	Leu	Lys	Arg	Leu 105	Gly	Leu	Asp	Tyr	Val 110	Asp	Met
5	Phe	Leu	Val 115	His	Trp	Pro	He	Ala 120	Ala	Glu	Lys	Asn	Gly 125	Gln	Gly	Glu
	Pro	Lys 130	lle	Gly	Pro	Asp	Gly 135	Lys	Tyr	Val	lle	Leu 140	Lys	Asp	Leu	Thr
10	Glu 145	Asn	Pro	Glш	Pro	Thr 150	Trp	Arg	Ala	Met	Glu 155	Lys	He	Tyr	Glu	Asp 160
	Arg	Lys	Ala	Arg	Ser 165	He	Gly	Val	Ser	Asn 170	Trp	Thr	lle	Ala	Asp 175	Leu
	Glu	Lys	Met	Ser 180	Lys	Phe	Ala	Lys	Va l 185	Met	Pro	His	Ala	Asn 190	Gln	He
221	Glu	lle	His 195	Pro	Phe	Leu	Pro	Asn 200	Glu	Glu	Leu	Val	G1n 205	Tyr	Cys	Phe
20	Ser	Lys 210	Asn	He	Met	Pro	Va l 215	Ala	Tyr	Ser	Pro	Leu 220	Gly	Ser	Gin	Asn
25	Gln 225	Val	Pro	Thr	Thr	Gly 230	Glu	Arg	Val	Ser	Glu 235	Asn	Lys	Thr	Leu	Asn 240
30	Glu	lle	Ala	Glu	Lys 245	Gly	Gly	Asn	Thr	Leu 250	Ala	Gin	Val	Leu	l le 255	Ala
50	Trp	Gly	Leu	Arg 260	Arg	Gly	Tyr	Val	Va l 265	Leu	Pro	Lys	Ser	Ser 270	Asn	Pro
35	Lys	Arg	11e 275	Glu	Ser	Asn	Phe	Lys 280	Ser	lle	Glu	Leu	Ser 285	Asp	Ala	Asp
	Phe	Glu 290	Ala	lle	Asn	Ala	Val 295	Ala	Lys	Gly	Arg	His 300	Phe	Arg	Phe	Val
<b>4</b> 0	Asn 305	Met	Lys	Asp	Thr	Phe 310	Gly	Tyr	Asp	Val	Trp 315	Pro	Glu	Glu	Thr	Ala 320

			cac His									384
5		He	ggc Gly		-				_	-	_	432
10			gag Glu									480
15			agg Arg							-		528
			toc Ser 180				-					576
20			ccc Pro									624
25	_		att He					-		-		672
30			acc Thr									720
35			gag Glu									768
40			cgc Arg 260									816
			gag Glu									864

285 275 280 912 ttt gaa gee ate aat gee gtt gee aag ggt ogt cae tte egt tte gte Phe Glu Ala lle Asn Ala Val Ala Lys Gly Arg His Phe Arg Phe Val 5 290 295 300 960 aac atg aag gat act ttc gga tat gat gtc tgg ccc gag gag acc gcc Asn Met Lys Asp Thr Phe Gly Tyr Asp Val Trp Pro Glu Glu Thr Ala 315 310 10 978 aag aac ctg tct gcg tga 15 Lys Asn Leu Ser Ala 325 <210> 3 <211> 17 fit from <212> PRT ž. <213> Penicillium citrinum **1** 20 <400> 3 Asn lie Met Pro Val Ala Tyr Ser Pro Leu Gly Ser Gln Asn Gin Val 1 10 Pro 25 <210> 4 <211> 10 30 <212> PRT <213> Penicillium citrinum <400> 4 lle Pro Gly Val Phe Gly Thr Phe Ala Ser 35 1 5 10 <210> 5 <211> 17 40 <212> PRT <213> Penicillium citrinum

```
<400> 5
      Ser lle Glu Leu Ser Asp Ala Asp Phe Glu Ala lle Asn Ala Val Ala
                                                                15
  5
      Lys
      <210> 6
 10
      <211> 14
<212> PRT
      <213> Penicillium citrinum
      <400> 6
      Met lie Gly Val Ala Asn Tyr Thr lie Ala Asp Leu Glu Lys
        1
                        5
                                            10
      <210> 7
      <211> 14
      <212> PRT
      <213> Penicillium citrinum
      <400> 7
 25
      Tyr Glu Asp Val Leu Xaa Xaa lle Asp Asp Ser Leu Lys Arg
        1
                        5
                                            10
      <210> 8
 30
      <211> 20
      <212> DNA
      <213> Artificial Sequence
      <220>
 35
      <223> Description of Artificial Sequence:Designed
            oligonucleotide primer for PCR
      <400> 8
                                                                         20
 40
      ggaacytgrt tytggswacc
```

	⟨210⟩ 9	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
5		
	<220>	
	<223> Description of Artificial Sequence: Designed	
	oligonucleotide primer for PCR	
10	<400> 9	
	tangonaong goataatatt	20
jul Pu		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	<210> 10	
15	<211> 20	
2 2	<212> DNA	
	<213> Artificial Sequence	
<b>20</b>	<220>	
20	<223> Description of Artificial Sequence:Designed	
	oligonucleotide primer for PCR	
i.i.	<400> 10	
7	tangonaong goataatgtt	20
25		
	<210> 11	
	<211> 20	
	<212> DNA	
30	<213> Artificial Sequence	
	<b>&lt;220&gt;</b>	
	<223> Description of Artificial Sequence:Designed	
	oligonucleotide primer for PCR	
35	Z400\ 11	
	<400> 11	20
	tangcnacng gcatgatatt	
, -	Z010\ 10	
<b>4</b> 0	<210> 12	
	<211> 20 <212> DNA	
	NATION OF THE PROPERTY OF THE	

	<213> Artificial Sequence	
5	<pre>&lt;220&gt; &lt;223&gt; Description of Artificial Sequence:Designed     oligonucleotide primer for PCR</pre>	
	<400> 12 tangchachg goatgatgtt	20
10		
	<210> 13	
	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
<b>=</b> 15		
indi indi	<220>	
15	<223> Description of Artificial Sequence: Designed oligonucleotide primer for PCR	
20	<400> 13	
1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	tangenaeng geattatatt	20
Annual Control of the		
94	<210> 14 <211> 20	
25	<212> DNA	
	<213> Artificial Sequence	
	(210) ALLITOTAL Sequence	
	<220>	
30	<223> Description of Artificial Sequence: Designed oligonucleotide primer for PCR	
	<400> 14	
	tangenaeng geattatgtt	20
35		
	<210> 15	
	<211> 697	
	<212> DNA	
40	<213> Escherichia coli	
	<400> 15	

```
cgctctaaaa ctantggatc ccccgggctg caggaattcg gcggcggcgg atccaacgga 60
                  aanactttoa cactgagcaa cggcgtcaaa attcctggcg tcggctttgg tacctncgct 120
                  agtgaaggtt coaagggoga aacctatnct gctgtcacca ctgccctgaa aaccggttac 180
                  cgtcncttgg actgtgcctg gtactacctg aacaagggtg aggttggtga gggtntccgt 240
                  gacttcctga aggaaaaccc ctcggtgaag cgtgaggaca tcttcgtctg caccaaggtg 300
                  tggaaccacc tccaccgtta tgaggacgtc ctctggtcca ttgacnactc cctgaagcgt 360
                  cttggacttg actacgttga tatgttcotc gttcactggc ccattgctgc cgaaaaaaaat 420
                  ggccagggtg agcccaaaat tggccctgac ggcaaatacn tcnttctcaa ggacctgacc 480
                  gaaanccona noccacctgg ogogotatgg aaaaaatttn tgangateec aaggocaggt 540
                  ccattggtgt ttccaattgg accattgccg accttgagaa gatgtccaag ttngccaagg 600
     10
                  tnatgoctca cgccaaccag atcgagattc accccttoct gcccaacgag gagctggtgc 660
                  agtactgctt ttccaagaac antatgcccg tagcgta
                                                                                                                                                                                                     697
To the state of th
                  <210> 16
                  <211> 21
                  <212> DNA
                  <213> Artificial Sequence
20
                  <220>
                  <223> Description of Artificial Sequence: Designed
                                  oligonucleotide primer for PCR
                  <400> 16
                                                                                                                                                                                                      21
                  ggaggtggtt ccacaccttg g
    25
                  <210> 17
                  <211> 20
                  <212> DNA
    30
                  <213> Artificial Sequence
                  <220>
                  <223> Description of Artificial Sequence: Designed
                                  oligonucleotide primer for PCR
    35
                  <400> 17
                                                                                                                                                                                                      20
                  caaccagato gagattcacc
     40
                  <210> 18
                  <211> 331
```

```
<212> DNA
       <213> Escherichia coli
       <400> 18
   5
       egetetaaaa etantggate eeeeggetg eaggaatteg geggeegegg atectteate 60
       cccatcatgt ctaacggaaa gactttcaca ttgagcaacg gcgtcaagat tcctggcgtc 120
       ggotttggta cottcgctag tgaaggttoo aagggcgaga cotatactgo tgtcaccact 180
       gocotgaaga coggttacog toacttggao tgtgcotggt actacotgaa cgagggtgag 240
       gttggtgagg gtatcogtga cttcctgaag gagaacccct cggtgaagcg tgaggacatc 300
  10
       ttcgtctgca ccaaggtgtg gaaccacctc c
                                                                         331
<210> 19
       <211> 743
=15
       <212> DNA
H
       <213> Escherichia coli
1
<400> 19
       caaccagate gagatteace cetteetgoe caacgaggag etggtgeagt aetgettete 60
20
       caagaacatt atgocogtgg cotactotoc totgggotog cagaaccagg ttoccaccac 120
cggtgagcgg gtcagcgaga acaagactct gaacgagatc gccgagaagg gcggcaacac 180
T.
       cettgeteag gttettattg cetggggtet gegeegtgge taegtegtte teeceaagag 240
ctocaacccc aagogcattg agtocaactt caagagcatt gagototoog atgoogactt 300
       tgaagccatc aatgeogttg ccaagggteg teactteegt ttegteaaca tgaaggatae 360
 25
      tttoggatat gatgtotggc ocgaggagac ogccaagaac etgtotgcgt gaatototac 420
       gaaattataa aatnacaccn acnaaaanoc aaagcganag gatgatnocc aaaanttttg 480
      agggtttctt ggttgaaaac gtttantgan cccgaantga angaatagat gancntgatt 540
      totocaaaaa aaaaaaaaa aaaaaoggto ogoggoogot conngggggg goooggttoo 600
      caatteneec cttatnattg aattetttt taanggggne aaatteenee nnattteent 660
 30
      chanattggn nggccgcctc caaactttch tchthaaagg gncccaattc cccccchatt 720
      aantggantt cotntttacc ttt
                                                                         743
      <210> 20
      <211> 21
 35
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> Description of Artificial Sequence: Designed
 40
```

origonucleotide primer for PCR

	⟨400⟩ 20	
	ccaaggtgtg gaaccacoto c	21
5	<210> 21	
	<211> 21	
	<212> DNA	
	<213> Artificial Sequence	
10	<220>	
	<pre>&lt;223&gt; Description of Artificial Sequence:Designed</pre>	
in 15	oligonucleotide primer for PCR	
	<400> 21	
<b>1</b> 5	ccagaggaga gtaggccacg g	21
E C	<210> 22	
	<211> 417	
20	<212> DNA	
120 17 17	<213> Escherichia coli	
; ; ===================================	<400> 22	
÷	ccaaggtgtg gaaccacctc caccgttatg aggacgtcot otggtccatt gacgactccc	60
25	tgaagcgtot tggaottgac tacgttgata tgttcctcgt tcactggccc attgctgccg	
	agaagaatgg ccagggtgag cccaagattg gccctgacgg caaatacgto attctcaagg	
	acctgaccga gaaccccgag cccacatggc gcgctatgga gaagatttat gaggatcgca	
	aggocaggto cattggtgto tocaactgga coattgooga cottgagaag atgtccaagt togocaaggt catgcctcac gocaaccaga togagattca cocottootg cocaacgagg	
30	agotggtgca gtactgctto tocaagaaca ttatgcccgt ggcctactct cctctgg	417
	<210> 23	
	<211> 27	
35	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> Description of Artificial Sequence: Designed	
40	oligonucleotide primer for PCR	
	<400> 23	

gccatggcta tgtctaacgg aaagact	27
<210\ 24	
<213> Artificial Sequence	
<220>	
<223> Description of Artificial Sequence: Designed oligonuclectide primer for PCR	
<400> 24	
oggatoogtt ataatttogt agagattoa	29
<210> 25	
<213> Artificial Sequence	
<220>	
<pre>&lt;223&gt; Description of Artificial Sequence:Designed</pre>	
oligonucleotide primer for PCR	
<400> 25	
gatcatcata gcaggagtca t	21
Z210\ 00	
· <del></del> · · · · · ·	
<223> Description of Artificial Sequence:Designed oligonucleotide primer for PCR	
<400> 26	
gaattcaaca ccagtcagct c	21
	<pre>&lt;210&gt; 24 &lt;211&gt; 29 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence </pre> <pre>&lt;220&gt; &lt;223&gt; Description of Artificial Sequence:Designed</pre>

	<21 <21	0> 2° 1> 76 2> DI 3> E	86	rich	ia ce	oli						
5		i> ci	DS 1)	(786)	)							
10	<400	)> 2°	7									
			aaa Lys									48
15			tta Leu									96
			gtt Val 35									144
20			gaa Glu									192
00			aca Thr									240
30			ttt Phe						Asn			288
35			gtt Val							-		336
40			acg Thr 115							 -		384

		tat Tyr 130			_									432
5		gtt Val								-				480
10		aaa Lys		-										528
15		cca Pro												576
15		oog Pro												624
And Annual Control of the Control of		gaa Glu 210									_	-		672
25		gcg Ala							-					720
30		att He												768
35		gca Ala				taa								786
40	<211 <212	0> 28 1> 99 2> DN 3> Pe	96 NA	illiu	ım ci	itrir	ונות							

		i> Cl	os 1)	(978)	<b>)</b>												
5	atg		8 aac Asn		-												<b>4</b> 8
· 10			ggc Gly						-								96
			got Ala 35						-								144
<b>2</b> 0			tgg Trp														192
25			ctg Leu														240
			aag Lys														288
30			gac Asp			_											336
35			gtt Val 115					-	•		-			_			384
40			att He														432
	gag	aac	ccc	gag	GCC	aca	tgg	CEG	gct	ate	eag	aag	att	tat	gag	gat	480

	Glu 145	Asn	Pro	Glu	Pro	Thr 150	Trp	Arg	Ala	Met	Glu 155	Lys	lle	Tyr	Glu	Asp 160	
5				agg Arg													528
10				toc Ser 180													576
15	_			ccc Pro		_			-		-		-				624
				att He													672
20				acc Thr													720
25				gag Glu			_						-				768
30				cgc Arg 260													816
25	_	-		gag Glu				-						-			864
35				atc lle													912
40				gat Asp													960

```
996
       aag aac ctg tct gcg tga atctctacga aattataa
       Lys Asn Leu Ser Ala
                        325
   5
       <210> 29
       <211> 29
       <212> DNA
       <213> Artificial Sequence
  10
       <220>
       <223> Description of Artificial Sequence Designed oligonucleotide primer
ž.
15
15
       for PCR
       <400> 29
                                                                            29
       oggatocgtt cacgoagaca ggttcttgg
į.
I
       <210> 30
       <211> 978
= 20
       <212> DNA
<213> Penicillium citrinum
       <220>
       <221> CDS
       <222> (1)... (978)
  25
       <400> 30
                                                                           48
       atg tot aac gga aag act tto aca ttg ago aac ggc gtc aag att cot
       Met Ser Asn Gly Lys Thr Phe Thr Leu Ser Asn Gly Val Lys 11e Pro
                                                                  15
         1
  30
       ggc gtc ggc ttt ggt acc ttc gct agt gaa ggt tcc aag ggc gag acc
                                                                           96
       Gly Val Gly Phe Gly Thr Phe Ala Ser Glu Gly Ser Lys Gly Glu Thr
                     20
                                         25
                                                              30
  35
       tat act gct gtc acc act gcc ctg aag acc ggt tac cgt cac ttg gac
                                                                           144
       Tyr Thr Ala Val Thr Thr Ala Leu Lys Thr Gly Tyr Arg His Leu Asp
                35
                                                                           192
  40
       tgt gcc tgg tac tac ctg aac gag ggt gag gtt ggt gag ggt atc cgt
       Cys Ala Trp Tyr Tyr Leu Asn Glu Gly Glu Val Gly Glu Gly Ile Arg
            50
                                 55
                                                     60
```

															ttc Phe		240
5				-											ctc Leu 95		288
10			-												gat Asp		336
															ggt Gly		384
20 mg 20															ctg Leu		432
25															gag Glu		480
															gac Asp 175		528
30										-			-		cag Gin		576
35												-			tgc Cys		624
<b>4</b> 0															cag Gin		672
	cag	gtt	ccc	acc	acc	ggt	gag	cgg	gtc	agc	gag	aac	aag	act	ctg	aac	720

1 1 1

	GIn 225	Val	Pro	Thr	Thr	Gly 230	Glu	Arg	Val	Ser	Glu 235	Asn	Lys	Thr	Leu	Asn 240	,
5			gcc Ala			-											768
10			ctg Leu	_	_			-	-				_				816
			att He 275	-													864
15			goc Ala														912
20 0 0			aag Lys														960
<b>25</b>			ctg Leu			tga											978
30	<210> 31 <211> 27 <212> DNA <213> Artificial Sequence																
35			scri	ptio	n of	Art	ific	ial S	Seque	ence	Desi	gned	oli	gonu	c l eo	tide p	rimer
		)> 31 atggo	ta t	gtat	aaag	ga tt	taga	ıa									27
40		)> 32  > 23															

```
<212> DNA
       <213> Artificial Sequence
       <220>
       <223> Description of Artificial Sequence Designed oligonucleotide primer
       for PCR
       <400> 32
                                                                             23
       cggatccgtt atccgcgtcc tgc
  10
       <210> 33
       <211> 28
15
       <212> DNA
       <213> Artificial Sequence
       <220>
       <223> Description of Artificial Sequence Designed oligonucleotide primer
for PCR
20
       <400> 33
                                                                             28
       oggatocgag ogoccaatac gcaaaccg
       <210> 34
       <211> 385
       <212> PRT
  25
       <213> Corynebacterium sp.
       <400> 34
       Met Lys Ala lie Gin Tyr Thr Arg lie Gly Ala Glu Pro Glu Leu Thr
         1
                          5
                                             10
  30
       Glu lle Pro Lys Pro Glu Pro Gly Pro Gly Glu Val Leu Leu Glu Val
                     20
                                         25
       Thr Ala Ala Gly Val Cys His Ser Asp Asp Phe Ile Met Ser Leu Pro
  35
                35
                                     40
                                                          45
       Glu Glu Gin Tyr Thr Tyr Gly Leu Pro Leu Thr Leu Gly His Glu Gly
            50
                                 55
                                                     60
```

	A1a 65		Lys	Val	Ala	70	Val	GIY	Glu	GIY	75	Glu	GIY	Leu	Asp	80 80
5	Gly	Thr	Asn	Val	Va l 85	Val	Tyr	Gly	Pro	Trp 90	Gly	Cys	Gly	Asn	Cys 95	Trp
10		Cys	Ser	Gin 100	Gly	Leu	Glu	Asn	Tyr 105	Cys	Ser	Arg	Ala	GIn 110	Glu	Leu
		He	Asn 115	Pro	Pro	Gly	Leu	Gly 120	Ala	Pro	Gly	Ala	Leu 125	Ala	Glu	Phe
15		11e 130	Val	Asp	\$er	Pro	Arg 135	His	Leu	Val	Pro	lle 140	Gly	Asp	Leu	Asp
	1 45	Val	Lys	Thr	Val	Pro 150	Leu	Thr	Asp	Ala	Gly 155	Leu	Thr	Pro	Tyr	His 160
20 C)	Ala	lle	Lys	Arg	Ser 165	Leu	Pro	Lys	Leu	Arg 170	Gly	Gly	Ser	Tyr	Ala 175	Val
25	Val	lle	Gly	Thr 180	Gly	Gly	Leu	Gly	His 185	Val	Ala	He	Gin	Leu 190	Leu	Arg
	His	Leu	Ser 195	Ala	Ala	Thr	Vai	11e 200	Ala	Leu	Asp	Val	Ser 205	Ala	Asp	Lys
30	Leu	Glu 210	Leu	Ala	Thr	Lys	Va l 215	Gly	Ala	His	Glu	Va I 220	Val	Leu	Ser	Asp
	Lys 225	Asp	Ala	Ala	Glu	Asn 230	Val	Arg	Lys	He	Thr 235	Gly	Ser	Gin	Gly	Ala 240
35	Ala	Leu	Val	Leu	Asp 245	Phe	Val	Gly	Tyr	GIn 250	Pro	Thr	lle	Asp	Thr 255	Ala
40	Met	Ala	Val	Ala 260	Gly	Val	Gly	Ser	Asp 265	Val	Thr	lle	Val	Gly 270	lle	Gly
	Asp	Gly	GIn 275	Ala	His	Ala	Lys	Va l 280	Gly	Phe	Phe	Gln	Ser 285	Pro	Tyr	Glu

	Ala Ser Val Thr Val Pro Tyr Trp Gly Ala Arg Asn Glu Leu 290 295 300	ı ile Giu
5	Leu lle Asp Leu Ala His Ala Gly Ile Phe Asp Ile Gly Gly 305 310 315	Gly Asp 320
10	Leu Gin Ser Arg Gin Arg Cys Arg Ser Val Ser Thr Thr Giy 325 330	Cys Arg 335
10	Asn Ala Gin Arg Pro Cys Gly Cys Gly Pro Trp Ser Val Val 340 345 350	
15	Ala Vai Giu Arg Gin Arg Lys Asn Thr Asp Ala Arg Pro Asr 355 360 365	Ser lle
enter de la constante de la co	Arg Pro Gly IIe Ser Val Arg Asn Ser Val Cys Ala Ser Cys 370 375 380	Thr Pro
20 10 10 10 10 10 10 10 10 10 10 10 10 10	Arg 385	
25	<210> 35 <211> 1158 <212> DNA <213> Corynebacterium sp.	
30	<220> <221> CDS <222> (1) (1158)	
35	<400> 35 atg aag gog atc cag tac acg oga atc ggo gog gaa coc gaa Met Lys Ala lie Gin Tyr Thr Arg lie Gly Ala Glu Pro Glo 1 5 10	
40	gag att ccc aaa ccc gag ccc ggt cca ggt gaa gtg ctc ctg Glu lle Pro Lys Pro Glu Pro Gly Pro Gly Glu Val Leu Leu 20 25 30	ı Glu Val

acc get get ggc gtc tgc oac teg gac gac ttc atc atg agc etg ecc 144

	Thr	Ala	Ala 35	Gly	Val	Cys	His	Ser 40	Asp	Asp	Phe	lle	Met 45	Ser	Leu	Pro	
5	-		_	tac Tyr									Gly				192
10	-		_	gtc Val	-	_	_										240
<b>1</b> 5				gtc Val													288
				caa Gin 100													336
-20 11 11				cct Pro					_								384
25	-		_	gat Asp			-										432
30	_		_	acg Thr		_											480
0.5				cgt Arg													528
35				acc Thr 180						-	-						576
40				gcg Ala			-		-								624

r	ctc Leu	gaa Glu 210	ctg Leu	gca Ala	acc Thr	aag Lys	gta Val 215	ggc Gly	gct Ala	cac His	gaa Glu	gtg Val 220	gtt Val	otg Leu	toc Ser	gac Asp	672
5	aag Lys 225	gac Asp	gcg Ala	gcc Ala	gag Glu	aac Asn 230	gto Val	ogo Arg	aag Lys	atc lle	act Thr 235	gga Gly	agt Ser	caa Gin	ggo Gly	gcc Ala 240	720
10	gca Ala	ttg Leu	gtt Val	ctc Leu	gac Asp 245	ttc Phe	gtc Val	ggo Gly	tac Tyr	cag Gln 250	ccc Pro	acc Thr	atc   e	gac Asp	acc Thr 255	gog Ala	768
H G G G F F	atg Met	gct Ala	gtc Val	gcc Ala 260	ggc Gly	gtc Val	gga Gly	tca Ser	gac Asp 265	gto Val	acg Thr	atc   e	gtc Val	ggg Gly 270	atc lle	ggg Gly	816
<u>1</u>	gac Asp	ggc Gly	cag Gln 275	gcc Ala	cac His	gcc Ala	aaa Lys	gtc Val 280	ggg Gly	tto Phe	ttc Phe	caa Gln	agt Ser 285	cct Pro	tac Tyr	gag Glu	864
	gct Ala	tog Ser 290	gtg Val	aca Thr	gtt Val	ccg Pro	tat Tyr 295	tgg Trp	ggt Gly	gcc Ala	cgc Arg	aac Asn 300	Glu	ttg Leu	atc   e	gaa Glu	912
25	ttg Leu 305	atc 11e	gac Asp	ctc Leu	goc Ala	cac His 310	Ala	ggc Gly	atc  le	tto Phe	gac Asp 315	lle	ggc Gly	ggt Gly	gga Gly	gac Asp 320	960
30	ctt Leu	cag Gln	tct Ser	cga Arg	caa Gin 325	Arg	tgc Cys	cga Arg	agc Ser	gta Val 330	Ser	acg Thr	act Thr	ggo	tgo Cys 335	cgg Arg	1008
35	aac Asn	gct Ala	cag Gin	ogg Arg 340	Pro	tgo Cys	ggt Gly	tgt Cys	ggt Gly 345	Pro	tgg Trp	tot Ser	gta Val	gta Val 350	Pro	aca Thr	1056
40	gcg Ala	gta Val	gaa Glu 355	Arg	cag Gln	cgg Arg	; aaa ; Lys	aad Asn 360	Thr	gat Asp	god Ala	ogg Arg	cce Pro 365	Asr	tog Ser	att lle	1104
	cgg	ccg	ggc	ato	agt	gto	aga	ı aat	tce	gte	; tgo	got	ago	tgo	ace	g cct	1152

Arg Pro Gly lie Ser Val Arg Asn Ser Val Cys Ala Ser Cys Thr Pro 370 375 380

cga tga

1158

5 Arg 385